

INDEX MAPS.

T. 3 N., R. 2 E. 2nd Mer.

	131		130		130		129		129		129	
132	6	152	5	147	4	143	3	140	2	136	1	128
	152		151		146		143		139		136	
132	7	150	8	146	9	143	10	139	11	135	12	128
	151		150		146		142		139		135	
132	18	150	17	145	16	142	15	138	14	135	13	128
	150		149		145		142		138		134	
132	19	149	20	145	21	141	22	138	23	134	24	127
	149		148		144		141		137		134	
131	30	148	29	144	28	141	27	137	26	133	25	127
	148		147		144		140		137		133	
131	31	147	32	144	33	140	34	136	35	133	36	127
	125		125-126		125-126		125-126		125-126		125-127	

T. 4 N., R. 2 E. 2nd Mer.

	160	160-161	160-161	160-161	160-161	159-162						
164	6	182	5	178	4	175	3	173	2	171	1	159
	183		182		179		175		173		171	
163	7	183	8	179	9	176	10	174	11	171	12	159
	184		183		179		176		174		172	
163	18	184	17	180	16	177	15	174	14	172	13	158
	185		184		182		177		174		172	
163	19	184	20		21	177	22	175	23	173	24	158
	170		170		181		177		167		166	
162	30	170	29	181	28	178	27	167	26	165	25	158
	169		169		180		178		168		164	
162	31	169	32	180	33		34	166	35	164	36	157
	157		156		156		155		155		155	

Meanders 185

Meanders 185

The figures on the lines refer to the page.

125[#]
Township N. 3 North, Range N. 2 East 2. Ill. 2nd^a

South Boundary

West 1st mile out Rand^m between Towns 2 & 3 N. R 2 E

40.00 Set temp^y. q^r. Sec. post.

80.00 Set temp^y. (mile post. Over level Oak timber?
land great many fallen trees.

West 2nd mile On Rand^m betwⁿ. Towns 2 & 3 N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. (mile post. Land same quality

West 3rd mile On Rand^m betwⁿ. Towns 2 & 3 N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Sec. post. This mile over Oak
and Hickory timber, land level - and g^r. Dogwood & Sap^r.

West 4th mile out Rand^m betwⁿ. Towns 2 & 3 N. R 2 E.

40.00 Set temp^y. q^r. Sec. post.

80.00 Set temp^y. (mile post. Land the same quality

West 5th mile out Rand^m between Towns 2 & 3 N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. (mile post. Land the same quality

West 6th mile out Rand^m betwⁿ. Towns 2 & 3 N. R 2 E.

40.00 Set temp^y. q^r. Sec. post

65.00 a Brook 50 lbs. wide Cr. S. W

84.96 Intersected the W. boundary 350 lbs. S. of
the Town Corner. This mile over good
farming land, timber Oak, Hickory &c.

East On S. boundary of Sec. 31, T 3 N. R 2 E.

44.96 Set q^r. Sec. post on line from which

a Dogwood 6 mi. dist. bears N 76 E 2 1/2 N. dist

T3N R2E 2^d Mer. Indiana

a W. Oak 10 m. dia. bray S32 W17 lbr. dist.
 84.96 Set a post Cor. to Sec. 31 of 32, from which
 a W. Oak 12 m. dia. bray N75 W. 5 lbr. dist.
 a Hickory 3 " " " N37 E6 " "

East On S. boundary of Sec. 32, T3N R2E,
 40.00 Set the gr. Sec. post on true line from which
 a Gum 12 m. dia. bray S85 W13 lbr. dist. &
 a Dogw. 6 " " " N40 E18 " "
 80.00 Set a post Cor. to Sec. 32 of 33, from which
 a Gum 4 m. dia. bray N45 W11 lbr. dist. &
 a Do 10 " " " S73 E22 " "

East On S. boundary of Sec. 33, T3N R2E,
 40.00 Set the gr. Sec. post on true line from which
 a Dogw. 6 m. dia. bray S83 E17 lbr. dist. &
 a W. Oak 10 " " " N45 W19 " "
 80.00 Set a post Cor. to Sec. 33 of 34, from which
 a Dogwood 6 m. dia. bray N85 W16 lbr. dist. &
 a Do 6 " " " S89 E9 " "

East On S. boundary of Sec. 34, T3N R2E,
 40.00 Set the gr. Sec. post on true line, from which
 a B. Oak 6 m. dia. bray N73 W12 lbr. dist. &
 a W. Oak 10 " " " N78 E21 " "
 80.00 Set a post Cor. to Sec. 34 of 35, from which
 a B. Oak 10 m. dia. bray S79 W15 lbr. dist. &
 a W. Oak 8 " " " S70 E26 " "

East On S. boundary of Sec. 35, T3N R2E,
 40.00 Set the gr. Sec. post. on true line from which
 a Poplar 6 m. dia. bray N54 E8 lbr. dist. &
 a B. Oak 8 " " " S60 W12 " "

T3N R2E, 2^d. Mer. Indiana

127

80.00 Set a post Cor. to Sec. 35 & 36, from which
a Gum 8 m. dia. bear N 86° W 18 lks. dist. of
a Hickory 10 " " " N 82° E 26 " "

East On S. boundary of Sec. 36, T3N, R2E East
40.00 Set the gr. Sec. post on true line from which
a W. Oak 10 m. dia. bear S 32° W 20 lks. dist.
a Do 8 " " " N 77° E 23 " "
80.00 to the Town Corner. Sept. 22nd, 1806.

East Boundary

North On E. boundary of Sec. 36, T3N, R2E.
39.25 a W. Oak 20 m. dia. stand in the line
40.00 Set the gr. Sec. post, from which
a Dogwood 6 m. dia. bear S 53° W 2 1/2 lks. dist. of
a W. Oak 10 " " " N 25° E 15 " "
80.00 Set a post Cor. to Sec. 25 & 36, from which
a W. Oak 10 m. dia. bear S 17° W 1 lks. dist. of
a Do 12 " " " N 55° E 19 " "
Good farming Oak & Hickory Soil.

North On E. boundary of Sec. 25, T3N, R2E East.
40.00 an Elm 20 m. dia. Marked for gr. Sec. Corner
40.50 a Spring leaves East
80.00 Set a post Cor. to Sec. 24 & 25, from which
a Dogwood 6 m. dia. bear S 17° W 1 lks. dist.
a Do 5 " " " N 17° E 7 " "
Good farming Oak timbered land

North On E. boundary of Sec. 24, T3N, R2E.
15.65 a W. Oak 20 m. dia. in the line
40.00 Set the gr. Sec. post, from which
a W. Oak 10 m. dia. bear S 46° E 2 lks. dist. of

T3N R2E. 2^d. Mer. Indiana

a Hickory 10 m. dia. beam S 68° W 14 lbr. dist.
 80.00 Set a post Cor. to Sec. 13 of 24, from which
 a Poplar 40 m. dia. beam S 4° W 45 lbr. dist.
 a W. Ash 30 " " " S 55° W 24 " "
 This mile over good land, timber Oak & Hickory

North On E. boundary of Sec. 13, T3N, R2E.

40.00 Set the q. Sec. post, from which

a Hickory 12 m. dia. beam S 74° W 17 lbr. dist.
 a W. Oak 40 " " " S 64° W 28 " "

80.00 Set a post Cor. to Sec. 12 of 13, from which

a Mulberry 10 m. dia. beam S 30° E 42 lbr. dist.
 a W. Walnut 10 " " " S 5° W 26 " "

Land timber &c. same quality

North On E. boundary of Sec. 12, T3N, R2E.

40.00 Set the q. Sec. post, from which

a B. Oak 15 m. dia. beam S 40° E 21 lbr. dist.
 a Dogwood 6 " " " S 39° W 14 lbr. " "

80.00 Set a post Cor. to Sec. 11 of 12, from which

a Beech 6 m. dia. beam S 46° E 14 lbr. dist.
 a Sugar 20 " " " S 46° W 22 " "

Land &c. same quality.

North On E. boundary of Sec. 1, T3N, R2E

20.90 a Beech 24 m. dia. with line

24.00 a Branch 10 lbr. wide C. S. N. E.

40.00 Set the q. Sec. post, from which

a Beech 15 m. dia. beam S 10° W 16 lbr. dist.

a Do 10 " " " S 45° E 11 " "

80.00 a Beech 20 m. dia. Cor. to Township, N. 3 of
 4 N. Range 2 of 3 East. This mile over level
 Beech timber land. Sept. 23^d. 1806

North Boundary

West On S. boundary of Sec. 36, T4N, R2E.

40.00 At the q. Sec. post, from which

a Beech 15 m. dia. bray N 67 W 31 lks. dist.

an Elm 24 " " " N 70 E 31 " "

80.00 At a post Cor. to Sec. 35 & 36, T4N, R2E, from which

a Hickory 5 m. dia. bray N 43 E 6 lks. dist.

an Ash 8 " " " N 15 W 20 " "

Broken land, timber Oak, Ash, Poplar, Hickory,
underbrush Spruce &c.

West On S. boundary of Sec. 35, T4N, R2E.

40.00 At the q. Sec. post, from which

a Dogwood 5 m. dia. bray S 51 W 12 lks. dist.

a Hickory 6 " " " N 76 E 23 " "

80.00 At a post Cor. to Sec. 34 & 35, T4N, R2E, from which

a Beech 4 m. dia. bray S 72 W 30 lks. dist.

a Sugar 10 " " " S 40 E 23 " "

Land timber &c, Same as on the last mile

West On S. boundary of Sec. 34, T4N, R2E.

21.00 touched the N. side of a brook 20 lks. wide W. S. W.

24.00 the Same brook 20 lks. wide W. S. W.

31.00 Same 20 " " " S. W.

34.00 Same 20 " " " N. W.

40.00 At the q. Sec. post, from which

a Dogwood 6 m. dia. bray S 70 W 17 lks. dist.

a Beech 10 " " " N 70 E 24 " "

71.00 Same brook course S. W.

79.00 Same brook " N. W.

80.00 At a post Cor. to Sec. 33 & 34, T4N, R2E, from which

a W. Walnut 40 m. dia. bray N 44 E 2 lks. dist.

a Locust 6 " " " N 7 W 30 " "

T3N R2E 2^d Mer. Indiana

Sand timber &c, same as on the last mile

- West On S. boundary of Sec. 33, T4N. R2E.
 24.00 Set a post on the Bank of W. River on the Indian boundary at the intersection, from which
 an Elm 40 m. dia. - bear S42W 29 lks. dist. of
 a Maple 8 " " " N35E 23 " "
 31.95 to where the River turned N.W. Set a post at the crossing of the boundary, from which
 a Red Bud 6 m. dia. - bear S42W 2 lks. dist. of
 a Hickory 8 " " " N44W 7 " "
 40.00 Set the gr. Sec. post, from which
 a Beech 40 m. dia. - bear S33E 22 lks. dist. of
 a Redbud 8 " " " N22E 11 " "
 80.00 Set a post Cor. to Sec. 32 of 33, T4N. R2E, from which
 a Hackberry 29 m. dia. - bear S67E 4 lks. dist. of
 a Do 12 " " " S59W 19 1/2 " "
 This mile over level rich land.

- West On S. boundary of Sec. 32, T4N. R2E.
 1.00 Set a post on the Indian boundary of White River, from which
 a Sycamore 30 m. dia. - bear N86E 28 lks. dist.
 a Do 40 " " " S6E 2 " "
 Course of White River S78W.
 14.50 to White River Cr. N68W. Set a post at the intersection of the boundary, from which
 a Beech 10 m. dia. - bear S70W 2 lks. dist. of
 a Sugar 10 " " " N7W 14 " "
 40.00 Set the gr. Sec. post, from which
 a White Ash 8 m. dia. - bear N55E 6 lks. dist. of
 a Beech 10 " " " D10E 25 " "
 80.00 Set a post Cor. to Sec. 31 of 32, T4N. R2E, from which

T3N R2E. 2nd Mer. Indiana

a Sugar 6 in. dia. bears N69 E 21 lbs. dist. of
 also 7 " " " N19 E 8 " "
 Good farming land.

West On S. boundary of Sec. 31, T4N, R2E.
 8.00 a Brook 50 lbs. wide C.S. N.

40.00 Set the q. Sec. post, from which
 a Birch 6 in. dia. bears N16 W 2 lbs. dist. of

* a Hickory 10 " " " N62 W 30 " " these bearings cancelled.

54.77 Set a post on the Indian boundary line, from which
 a Beech 10 in. dia. bears S25 W 26 lbs. dist. of
 also 8 " " " S87 W 6 " "

Land same quality. Sept. 24th, 1806.

* a Mulberry 8 in. dia. bears S18 E 7 lbs. dist. of }
 a Hackberry 8 " " " N8 W 30 " " }
Inu q. Bearings

75.16 to the Town Corner. var. 5° 45' 6"

Over hilly land.

Surveyed by Arthur Hennig Dep. Sur.

West Boundary.

North On E. boundary of Sec. 36, T3N, R1E.

18.50 a Poplar 44 in. dia.

40.00 Set the q. Sec. post, from which a Gum 14 in. dia.
 bears N68 E 11 lbs. dist. of a W. Oak 10 in. dia. bears S77 W 22 lbs.

58.68 an Ash 12 in. dia.

80.00 Set a post Cor. to Sec. 25 & 36, from which a Beech 16 in.
 dia. bears N5 W 6 lbs. & a W. Walnut 13 in. dia. bears S43 E 38 lbs.

Good land, Beech, Poplar, Walnut, Oak & Sugar tree

North On E. boundary of Sec. 25, T3N, R1E.

40.00 Set the q. Sec. post, from which an Aspen 12 in. dia. bears
 S50 W 24 lbs. dist. of an Elm 4 —

58.62 a Beech 12 in. dia.

80.00 Set a post Cor. to Sec. 24 & 25, from which a Poplar 8 in. dia.

T3N. R2E. 2nd Mer. Indiana

beav, S17E13ln, dist. of a W. Oak 20 in. dia. beav, West 56ln, dist.
 Sand level Oak, Poplar & Beech, some brush

North On E. boundary of Sec. 24, T3N. R1E.

8.50 a Branch 10ln, wide Course W.

37.00 a do 8 " " " W.

40.00 Let the q. Sec. post, from which a W. Oak 12 in. dia.
 beav, S48W22ln, dist. of a Beech 16 in. dia. beav, N29E36ln, dist.

58.87 a W. Oak 16 in. dia.

80.00 Let a post Cor. to Sec. 13 & 24, from which a W. Oak 20 in.
 dia. beav, N82E42ln, dist. of a W. Oak 10 in. dia. beav, N63E32ln.
 Sand level, Oak, Hickory, Beech, & Ash

North On E. boundary of Sec. 13, T3N. R1E.

26.75 a W. Oak 14 in. dia.

35.37 a do 18 " "

40.00 Let the q. Sec. post, from which an Ash 10 in. dia. beav
 N22W20ln, dist. of a W. Oak 8 in. dia. beav, N39E10ln.

46.07 a W. Oak 16 in. dia.

80.00 Let a post Cor. to Sec. 12 & 13, T3N. R1E, from which a
 Poplar 15 S11E12ln, dist. of a do. 16 S87W29ln, dist.
 Sand level, timber Oak & Poplar.

North On E. boundary of Sec 12, T3N. R1E.

40.00 Let the q. Sec. post, from which a W. Oak 13 N28E.
 25ln, dist. of a W. Oak 16 N29W23ln, dist.

65.86 a W. Oak 24 in. dia.

80.00 Let a post Corner to Sec. 1 & 12, T3N. R1E, from which
 a W. Oak 33 S58E23ln, dist. of an Ash 12 N43W24ln, dist.
 Sand level Oak, Poplar, Ash & Hickory

North On E. boundary of Sec. 1, T3N. R1E.

15.75 a W. Oak 20 in. dia.

40.00 Let the q. Sec. post, from which
 a W. Oak 12 in. dia. beav, S22E27ln, dist. of
 an Ash 16 " " " S73W38 " "

49.54 to the Indian boundary line 8.50 lks. West of the 83 mile
 (supposed to be 59.54) post - Set a post from which a W. Oak 10 mi. dist. bear
 N49W 19 lks. dist. of a Poplar 12 mi. dist. bear N34E 47 lks. dist.
 80.00 Set a post Cor. to Townships N. 3 of 4 North, Range 1 of 2 East 2^d. Mer. from which
 an Ironwood 6 mi. dist. bear N48W 7 lks. dist. of
 a do 5 " " " N27E 3 " "
 Over Oak & Hickory timbered land.
 Surveyed by Arthur Pennie, Dep. Sur.

Subdivision.

North Between Sec. 35 & 36, T3N. R2E.

40.00 Set the q^r. Sec. post, from which
 a W. Oak 24 mi. dist. bear N14E 14 1/2 lks. dist. of
 a do 20 " " " N22W 19 " "
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Beech 10 mi. dist. bear N26W 10 lks. dist. of
 a dogwood 6 " " " N67E 5 " "
 This mile over level land, timber oak & hickory
 undergth. Dogwood and Sassafras.

East On Random between Sec. 25 & 36, T3N. R2E

40.00 Set temp^y. q^r. Sec. post
 80.21 Intersected the E. boundary 41 lks. N. of the Corner
 Thin Oak, timbered land.

West On true line between Sec. 25 & 36, T3N. R2E.

40.10 1/2 Set the q^r. Sec. post at av^y. dist. from which
 a W. Oak 20 mi. dist. bear South 1/2 links dist. of
 a dogwood 6 " " " N64W 21 " "
 80.21 to Sec. Corner.

North Between Sec. 25 & 26, T3N. R2E. 2^d. Mer.

T3N. R2E. 2^d. Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a W. Oak 10 mi. dist. - bearing N 37° W 17 lks. dist. of
 a Hickory 10 " " " S 77° W 17 " "
- 80.00 At a post Cor. to Sec. 23 & 24, 25 & 26, from which
 a Hickory 12 mi. dist. - bearing N 41° E 6 lks. dist. of
 a Cherry tree 12 " " " S 59° W 5 " "
- This mile Oak and Hickory timbered land

- East On Random between Sec. 24 & 25, T3N. R2E.
- 40.00 At temp. q. Sec. post
- 80.00 Intersected the E. boundary 80 lks. N. of the corner.
 This mile Over rolling Oak timber land.

- West On true line between Sec. 24 & 25, T3N. R2E
- 40.00 At the q. Sec. post at av. dist. from which
 a W. Oak 15 mi. dist. - bearing S 53° E 24 lks. dist. of
 a Cherry 8 " " " S 39° W 40 " "
- 80.00 to Sec. Corner. November 11th. 1886

- North Between Sec. 23 & 24, T3N. R2E. 2^d. Mer.
- 11.10 a W. Oak 12 mi. dist. on the line
- 40.00 At the q. Sec. post, from which
 a W. Oak 12 mi. dist. - bearing N 52° W 7 lks. dist. of
 a do 10 " " " S 55° W 26 " "
- 80.00 At a post Cor. to Sec. 13, 14, 23 & 24, from which
 a W. Oak 10 mi. dist. - bearing N 33° W 17 lks. dist. of
 a do 10 " " " N 32° W 11 " "
- Sand timber &c. of the same quality as last mile

- East On Random between Sec. 13 & 24, T3N. R2E.
- 40.00 At temp. q. Sec. post
- 80.00 Intersected the E. boundary 17 lks. N. of the corner
 Good farming land.

T3N R2E 2^d Mer. Indiana

West Out true line between Secs. 13 & 14, T3N, R2E,
 40.00 Set the q. Sec. post at av. dist. from which
 a W. Oak 10 in. dia. - bears S 32° W 11 lbs. dist. of
 a Hogwood 6 " " " N 13° W 23 " "
 80.00 to Sec. Corner.

North Between Secs. 13 & 14, T3N, R2E, 2^d Mer.
 34.30 a W. Oak 20 in. dia. stands in the line
 40.00 Set the q. Sec. post, from which
 a B. Walnut 15 in. dia. - bears S 13° E 27 lbs. dist. of
 a Sugar 10 " " " S 41° W 18 " "
 44.25 a Brook 10 lbs. wide C. & W.
 80.00 Set a post Corner to Secs. 11, 12, 13 & 14, from which
 a Maple 10 in. dia. - bears S 12° E 26 lbs. dist. of
 a B. Oak 12 " " " N 75° W 12 " "
 Broken Stony land, timber Oak &c

East Out Random between Secs. 12 & 13, T3N, R2E.
 40.00 Set temp. q. Sec. post
 79.61 Intersected the E. boundary 11 lbs. N. of the post
 Good farming land, timbered with Oak & Hickory

West Out true line between Secs. 12 & 13, T3N, R2E.
 39.80 Set q. Sec. post at av. dist. on true line, from which
 a Hogwood 5 in. dia. - bears N 59° E 4 lbs. dist. of
 a W. Oak 20 " " " S 38° E 30 " "
 79.61 to Sec. Corner.

North Between Secs. 11 & 12, T3N, R2E, 2^d Mer.
 18.50 a Brook 5 lbs. wide C. & N. E.
 27.50 Same 50 " " " N. W.
 40.00 Set the q. Sec. post, from which
 a Hogwood 6 in. dia. - bears S 6° E 28 lbs. dist. of

T3N R2E 2^d Mer. Indiana

a W. Oak 20 m. dist. bear N10W 26 lks. dist. of
 73.50 a Brook 10 lks. wide C. & W.
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Dogwood 6 m. dist. bear S5E 28 lks. dist. of
 a Hickory 12 " " " N5W 13 " "
 Very bushy stony Soil

East On Random between Sec. 1 & 12, T3N, R2E.
 40.00 Set temp. of Sec. post
 61.50 a Brook 10 lks. wide C. & N.E.
 80.00 Intersected the E. boundary 14 lks. N. of the corner
 Rich Broken Soil.

West On true line between Sec. 1 & 12, T3N, R2E.
 40.00 Set of Sec. post at av. dist. from which
 a Dogwood 6 m. dist. bear S69W 16 lks. dist. of
 a Do 8 " " North 17 " "
 80.00 to Sec. Corner.

North Between Sec. 1 & 2, T3N, R2E, 2^d Mer.
 20.50 a W. Oak 29 m. dist. in the line
 40.00 Set the of Sec. post, from which
 an Ironwood 6 m. dist. bear S38E 4 lks. dist. of
 a Sugar 10 " " " N1W 29 " "
 67.45 a Beech 20 " " in the line
 80.00 Intersected the N. Boundary 44 lks. E. of post.
 Set a post Cor. to Sec. 1 & 2, from which
 a Sugar 12 m. dist. bear S2W 22 lks. dist. of
 a Beech 12 " " " N65E 16 " "
 Land rolling & rich.

North Between Sec. 34 & 35, T3N, R2E, 2^d Mer.
 40.00 Set the of Sec. post, from which

T3 N. R2 E. 2^d. Mer. Indiana

137

a W. Oak 24 in. dia. beam S 22 E. 24 lks. dist. of
 a Hickory 8 " " " S 81 W 15 " "
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Oak 24 in. dia. beam S 24 E 30 lks. dist. of
 a Gum 10 " " " N 14 W 11 " "
 Thin Oak timbered land, underbrush, Dogwood & Hickory.

East On Random between Sec. 26 & 35, T3 N. R2 E.
 40.00 Set the q. Sec. post temp.
 79.78 Intersected the N & S. line 13 lks. N. of the corner
 Land timber &c. same as on the last mile

West On true line between Sec. 26 & 35, T3 N. R2 E.
 39.89 Set q. Sec. post at av. dist. on true line, from which
 a Dogwood 8 in. dia. beam S 80 W 14 lks. dist. of
 a B. Oak 6 " " " N 80 E 8 " "
 79.78 to Sec. Corner.

North Between Sec. 26 & 27, T3 N. R2 E. 2^d. Mer.
 40.00 Set the q. Sec. post, from which
 a B. Oak 6 in. dia. beam S 19 W 14 lks. dist. of
 a Do 6 " " " N 29 E 5 " "
 74.50 a Poplar 12 " " in the line
 80.00 Set a post Cor. ^{to Sec. 26} 22, 23, 26 & 27, from which
 a Poplar 15 in. dia. beam S 79 W 54 lks. dist. of
 a Do 15 " " " S 30 E 16 " "
 Thin brushy Soil.

East On Random between Sec. 23 & 26, T3 N. R2 E
 40.00 Set temp. q. Sec. post
 79.88 Intersected the N & S. line 4 lks. N. of the corner
 Land Convenient for farming timb. Oak, &c.

T3N R2E, 2^d. Mer. Indiana

West On true line between Secs. 23 & 26, T3N, R2E.
 39.94 Set of Sec. post at arj. dist. from which
 a Hickory 8 m. diam. bears S 71 E 20 lks. dist. of
 a Dogwood 6 " " " S 15 E 13 " "
 79.88 to Sec. Corner.

North Between Secs. 22 & 23, T3N, R2E East
 40.00 Set the of Sec. post, from which
 a W. Oak 10 m. diam. bears S 42 E 10 lks. dist. of
 a Do 8 " " " N 66 E 9 " "
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which
 a W. Oak 10 m. diam. bears N 40 E 6 lks. dist. of
 a Do 7 " " " S 29 W 28 " "
 Sand timber &c. Same as on the last mile

East On Random between Secs. 14 & 23, T3N, R2E.
 40.00 Set temp. of Sec. post
 80.00 Intersected the N of S. line. 33 lks. N. of Corner
 Sand timber &c. Same as on the last mile

West On true line betwⁿ Secs. 14 & 23, T3N, R2E
 40.00 Set of Sec. post at arj. dist. from which
 a Dogwood 6 m. diam. bears S 85 E 9 lks. dist. of
 a Hickory 8 " " " S 3 E 17 " "
 80.00 to Sec. Corner.

North Between Secs. 14 & 15, T3N, R2E, 2^d. Mer.
 40.00 Set the of Sec. post, from which
 a W. Oak 10 m. diam. bears N 78 W 5 lks. dist. of
 a Do 10 " " " N 35 E 12 " "
 80.00 Set a post Cor. to Secs. 10, 11, 14 & 15, from which
 a Dogwood 6 m. diam. bears N 54 W 23 lks. dist. of
 a Elm 6 " " " S 25 W 19 " "

T3N R2E, 2^d Mer. Indiana

139 ~~137~~

Land timber &c. same as on the last mile

East On Random between Sec. 11 & 14, T3N, R2E.
 40.00 Set temp. q. Sec. post
 63.00 a Brook 12 hrs. wide C. S.
 80.00 Intersected the N & S. line 10 hrs. N. of the cor.
 hilly stony land.

West On true line between Sec. 11 & 14, T3N, R2E, 2^d Mer.
 40.00 Set the q. Sec. post at ar. dist. from which
 a W. Oak 20 in. dia. bears S 57 W 14 hrs. dist. of
 a Do 5 " " " S 74 E 8 " "
 80.00 to Sec. Corner

North Between Sec. 10 & 11, T3N, R2E, 2^d Mer
 5.70 a B. Oak 20 in. dia. on the line
 20.50 a Gum 10 " " " "
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bears S 26 W 14 hrs. dist. of
 a Beech 15 " " " S 26 E 22 " "
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a W. Walnut 10 in. dia. bears S 2 E 40 hrs. dist. of
 a Dogwood 6 " " " N 67 W 7 "
 Rich rolling land, timber Beech, Sugar, Walnut
 November 13th 1806.

East On Random between Sec. 2 & 11, T3N, R2E.
 40.00 Set temp. q. Sec. post
 50.20 a Brook 20 hrs. wide C. S. & W.
 80.00 Intersected the N & S. line 100 hrs. N. of Corner.
 Very hilly stony land

West On true line between Sec. 2 & 11, T3N, R2E.

T3N R2E 2^d Mer. Indiana

40.00 Set of Sec. post at an f. dist. on true line from which
 a Buckeye 12 m. dia. bear N61 E 10 lks. dist of
 an Ironwood 8 " " " N41 W 14 " "
 80.00 to Sec. Cor.

North Between Sec. 2 & 3, T3N R2E 2^d Mer.

40.00 Set the of Sec. post, from which
 a Sugar 8 m. dia. bear N29 E 23 lks. dist of
 a Do 8 " " " N7 E 13 " "

57.00 a Brook 25 lks. wide Cr. N.W.

79.00 Same 25 " " " N.E.

80.00 Same 25 " " " S.W.

81.00 Intersected the N. boundary 120 lks. E. of Corner.
 & set a post Cor. to Sec. 2 & 3, from which
 a Sugar 20 m. dia. bear N12 E 18 lks. dist of
 a Beech 8 " " " S77 W 17 " "
 This mile over rich hilly Soil.

North Between Sec. 33 & 34, T3N R2E East

17.00 a B. Oak 12 m. dia. in the line

40.00 Set the of Sec. post, from which
 a B. Oak 10 m. dia. bear N56 W 12 lks. dist of
 a Gum 15 " " " S26 E 45 " "

80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
 a Gum 10 m. dia. bear N62 E 5 lks. dist of
 a Maple 10 " " " S8 W 17 " "

This mile over level oak & hickory timb. land,
 underbrush dogwood &c.

East On Random between Sec. 27 & 34, T3N R2E

40.00 Set temp. of Sec. post

80.50 Intersected the N. & S. line 20 lks. S. of Corner.
 Land, timber &c. same.

T3N. R2E. 2^d. Mer. Indiana

West on true line between Sec. 27 & 34, T3N. R2E.
 40.25 Set of Sec. post at ar. dist. from which
 a Hickory 12 in. dia. bears S 29° 26' W 26 lbs. dist. of
 a do 10 " " " N 65° E 34 " "
 80.50 to Sec. Corner.

North Between Sec. 27 & 28, T3N. R2E. 2^d. Mer.
 81.00 at Brook 10 lbs. wide Course W.
 40.00 Set the of Sec. post, from which
 a P. Oak 15 in. dia. bears S 9° E 34 lbs. dist. of
 a Hickory 8 " " " S 72° E 11 " "
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a W. Oak 20 in. dia. bears N 18° E 24 lbs. dist. of
 a Dogwood 6 " " " N 49° E 16 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 22 & 27, T3N. R2E.
 40.00 Set temp. of Sec. post
 80.16 Intersected the N of S. line 4 lbs. N. of the post.
 Good level farming land, timber Oak & Hickory

West On true line between Sec. 22 & 27, T3N. R2E.
 40.08 Set of Sec. post at ar. dist. from which
 a P. Oak 8 in. dia. bears N 72° W 12 lbs. dist. of
 a do 8 " " " S 36° E 15 " "
 80.16 to Sec. Corner.

North Between Sec. 21 & 22, T3N. R2E. 2^d. Mer.
 40.00 Set the of Sec. post, from which
 a P. Walnut 15 in. dia. bears S 14° W 20 lbs. dist. of
 a Gum 20 " " " S 11° E 38 " "
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Poplar 10 in. dia. bears N 1° W 21 lbs. dist. of

T3N R2E 2nd Mer. Indiana

adlogwood 5 mi. dist. from N 68 W 10 lbs. dist. of
Sand timber &c. Same as on the last mile

East On Random between Sec. 15 & 22, T3N, R2E.

40.00 Set temp. g. Sec. post

80.00 Intersected the N & S. line N. of the post

Sand timber &c. Same as on the last mile

West On true line between Sec. 15 & 22, T3N, R2E.

40.00 Set g. Sec. post at av. dist. from which

a W. Oak 12 mi. dist. from N 30 E 17 lbs. dist. of

a Gum 15 " " " S 30 E 27 " "

80.00 to Sec. Corner

North Between Sec. 15 & 16, T3N, R2E, 2nd Mer.

37.00 a Brook 12 lbs. wide, C. W.

40.00 Set the g. Sec. post. from which

a Hickory 12 mi. dist. from S 25 E 13 lbs. dist. of

a do 10 " " " S 16 W 16 " "

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which

a Maple 20 mi. dist. from N 74 E 28 lbs. dist. of

a W. Oak 10 " " " S 40 W 19 " "

Sand timber &c. Same

East On Random between Sec. 10 & 15, T3N, R2E.

40.00 Set temp. g. Sec. post

81.00 Intersected the N & S. line 4 lbs. N. of the Cor.

Sand timber &c. Same.

West On true line between Sec. 10 & 15, T3N, R2E.

40.50 Set g. Sec. post at av. dist. from which

a W. ash 8 mi. dist. from N 30 W 8 lbs. dist. of

a Gum 8 " " " S 75 W 9 " "

T3 N R2 E. 2^d. Mer. Indiana

143[#]

81.00 to Sec. Corner.

North Between Secs. 9 & 10, T3 N, R2 E, 2^d. Mer.

40.00 At the q^r. Sec. post, from which
a W. Oak 30 mⁱ. dist. bears N13 E 36 l^{ks}. dist. to
a Beech 6 " " " N70 W 5 " "

80.00 At a post Cor. to Secs. 3, 4, 9 & 10, from which
a B. Oak 20 mⁱ. dist. bears N7 E 11 l^{ks}. dist. to
a Beech 6 " " " N76 E 5 " "

Good farming land, timber Oak, Poplar, Hickory
& Ash, Nov. 14th. 1806.

East On Random between Secs. 3 & 10, T3 N, R2 E.

40.00 At temp^y. q^r. Sec. post

81.00 Intersected the N & S. line 60 l^{ks}. N. of corner.
Land very rich & hilly.

West On true line between Secs. 3 & 10, T3 N, R2 E.

40.50 At q^r. Sec. post at av^g. dist. from which
a Sugar 15 mⁱ. dist. bears N54 W 17 l^{ks}. dist. to
a Do 20 " " " N68 E 20 " "

81.00 to Sec. Corner. Nov. 17th. 1806

North Between Secs. 3 & 4, T3 N, R2 E, 2^d. Mer.

33.40 a Beech 20 mⁱ. dist. in the line

40.00 At the q^r. Sec. post, from which
a Beech 8 mⁱ. dist. bears N28 W 16 l^{ks}. dist. to
a Do 6 " " " N14 E 18 " "

78.00 Intersected the N. boundary 171 l^{ks}. E. of post.
At a post Cor. to Secs. 3 & 4, from which
a B. Oak 10 mⁱ. dist. bears N64 E 4 l^{ks}. dist. to
this post stands in a brook 40 l^{ks}. wide E. & E.
Land timber &c. same as on the last mile

T³N. R²E. 2^d. Mer. IndianaNorth Between Secs. 32 & 33, T³N. R²E. 2^d40.00 Set the q^r. Sec. post, from whicha W. Oak 20 in. dia^r. bears S 48 E 21 lks. dist. of

a P. Oak 24 " " " N 80 W 11 " "

56.60 a Hickory 18 " " in the line

80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which

a Hickory 17 in. dia^r. bears S 6 E 17 lks. dist. of

a do 10 " " " N 72 E 5 " "

Land very brushy, timber Oak & Hickory

East On Random between Secs. 28 & 33, T³N. R²E. 2^d40.00 Set temp^y. q^r. Sec. post

81.00 Intersected the N & S. line 50 lks. S. of corner.

Land, timber &c. same as on the last mile

West On true line between Secs. 28 & 33, T³N. R²E. 2^d40.50 Set q^r. Sec. post at eq^d. dist. on true line, from whicha Hickory 10 in. dia^r. bears S 8 E 11 lks. dist. of

a do 15 " " " N 15 E 21 " "

81.00 to Sec. corner.

North Between Secs. 28 & 29, T³N. R²E. 2^d. Mer.29.40 a W. Oak 20 in. dia^r. in the line40.00 Set the q^r. Sec. post from whicha Gum 10 in. dia^r. bears S 29 W 26 lks. dist. ofa Dogw^d. 6 " " " N 37 W 51 " "

80.00 Set a post Corner to Secs. 20, 21, 28 & 29, from which

a Dogwood 6 in. dia^r. bears N 63 E 6 lks. dist. of

a Beech 10 " " " N 15 E 55 " "

Level Oak timbered land.

East On Random between Secs. 21 & 28, T³N. R²E. 2^d40.00 Set temp^y. q^r. Sec. post.

T3N R2E. 2^d. Mer. Indiana

145

80.27 Intersected the N & S. line 60 krs. S. of the Corner.
Land, timber &c. Same as on the last mile

West On true line between Sec. 21 & 28, T3N, R2E.
40.13 1/2 Let q^r. Sec. post at av^r. dist. on true line, from which
a Red bud 6 in. dia. bears N 42 W 27 krs. dist. to
an Elm 24 " " " S 56 E 17 " "

80.27 to Sec. Corner.

North Between Sec. 20 & 21, T3N, R2E. 2^d. Mer.

40.00 Let the q^r. Sec. post, from which
a Dogwood 6 in. dia. bears N 44 W 8 krs. dist. to
a Hickory 6 " " " N 40 E 15 " "

80.00 Let a post cor. to Sec. 16, 17, 20 & 21, from which
a W. Oak 40 in. dia. bears N 41 W 8 krs. dist. to
a Do 20 " " " N 1 E 24 " "
Level Bushy land.

East On Random between Sec. 16 & 21, T3N, R2E.

35.50 a Brook 15 krs. wide Cr. S. N. N.

40.00 Let the temp^y. q^r. Sec. post

79.00 Intersected the N & S. line 10 krs. N. of the Corner
Land timber &c. Same as on the last mile

West On true line between Sec. 16 & 21, T3N, R2E.

39.50 Let the q^r. Sec. post at av^r. dist. on true line from
which a W. Oak 17 in. dia. bears N 8 E 24 krs. dist. to
a Sugar 12 " " " S 72 W 30 " "

79.00 to the Sec. Corner.

North Between Sec. 16 & 17, T3N, R2E. 2^d. Mer.

40.00 Let the q^r. Sec. post, from which
a W. Oak 20 in. dia. bears S 22 E 39 krs. dist.

T³N. R²E. 2^d. Mer. Indiana

a Birch 15 in. dia. bear N 82 E 18 lks. dist. of
 64.72 a Brook 40 lks. wide Cr. S. W.
 80.00 At a post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Walnut 10 in. dia. bear S 34 E 12 lks. dist. of
 an Ironwood 6 " " " N 72 E 8 1/2 " "
 Sand, timber &c. same as on the last mile

East On Random between Sec. 9 & 16, T³N. R²E.
 14.00 a Brook 8 lks. wide Cr. S. W.
 40.00 At temp. q. Sec. post
 78.00 Intersected the N & S. line 5 lks. N. of corner.
 Sand timber &c. same as on the last mile

West On true line between Sec. 9 & 16, T³N. R²E.
 39.00 At the q. Sec. post at av. dist. from which
 a Hickory 10 in. dia. bear S 8 E 16 lks. dist. of
 a Dogwood 6 " " " N 49 W 23 " "
 78.00 to Sec. Corner

North Between Sec. 8 & 9, T³N. R²E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a Dogwood 6 in. dia. bear South 29 lks. dist.
 a Beech 6 " " " N 51 E 14 " "
 64.30 a Poplar 48 " " in the line
 67.00 a Brook 10 lks. wide Cr. West
 80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 24 in. dia. bear S 56 W 36 lks. dist. of
 a Ho 15 " " " S 31 E 29 " "
 very rich rolling land. Nov. 15th 1806.

East On Random between Sec. 4 & 9, T³N. R²E.
 40.00 At temp. q. Sec. post
 79.00 Intersected the N & S. line 20 lks. S. of corner.

T3N R2E, 2nd. Mer. Indiana

147

Good farming land.

West Continue line between Secs. 469, T3N. R2E.
39.50 Set q^r. Sec. post at ar^s. dist. from which
a Beech 10 mi. dist. bears S56E 18 lks. dist. of
a do 8 " " " N23W 4 " "
79.00 to Sec. Corner

North Between Secs. 465, T3N. R2E, 2nd. Mer.
4.00 a Beech 20 mi. dist. with the line
40.00 Set the q^r. Sec. post, from which
a Blue Ash 10 mi. dist. bears S8E 34 lks. dist. of
a do 7 " " " N24W 27 " "
76.50 Set a post on the N. boundary Cor. to Sec.
465 from which
a Locust 15 mi. dist. bears S2E 16 lks. dist. of
a Boxelder 5 " " " N40E 11 " "
Land hilly & very rich.

North Between Secs. 316, 32, T3N. R2E, 2nd. Mer.
40.00 Set the q^r. Sec. post, from which
a Hickory 10 mi. dist. bears N68W 9 lks. dist. of
a Dogwood 5 " " " N52E 33 " "
48.50 a Branch 12 lks. wide C.P. W.
80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
a W. Oak 18 mi. dist. bears S68W 28 lks. dist. of
a do 10 " " " N79E 12 " "
This mile over thin timbered land.

East On Random between Secs. 29 & 32, T3N. R2E.
40.00 Set temp^y. q^r. Sec. post
71.00 a Brook 10 lks. wide C.P. South
80.00 Intersected the N & S. line 50 lks. N. of the corner

T3N R2E 2^d Mer. Indiana

Sand timber &c. Same as on the last mile

West On true line between Secs. 29 & 32, T3N. R2E.
 40.00 Set the q. Sec. post, at ar. dist. from which
 a Hickory 10 in. diam. bears S33 E 4 lks. dist. of
 a do 12 " " " N40 E 14 " "
 80.00 to Sec. Corner.

West Between Secs. 30 & 31, T3N. R2E. 2^d Mer.
 15.60 a B. Oak 15 in. diam. stands in the line
 40.00 Set the q. Sec. post, from which
 a B. Oak 6 in. diam. bears N70 E 33 lks. dist. of
 an Elm 6 " " " N17 E 14 " "
 84.56 Intersected the W. boundary 67 lks. N. of the post
 Set a post Cor. to Secs. 30 & 31, from which
 a Dogwood 6 in. diam. bears N44 E 17 lks. dist. of
 a Beech 15 " " " N60 W 8 " "
 Sand timber &c. Same as on the last mile

North Between Secs. 29 & 30, T3N. R2E 2^d Mer.
 15.00 a Hickory 15 in. diam. in the line
 21.00 a Brook 10 lks. wide cr. W
 40.00 Set the q. Sec. post, from which
 a Dogwood 6 in. diam. bears S4 W 18 lks. dist. of
 a B. Oak 10 " " " S89 W 8 " "
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
 a Maple 15 in. diam. bears S43 E 27 lks. dist. of
 an Elm 6 " " " North 9 " "
 Land level, timber Oak, Hickory & Beech.

East On Random between Secs. 20 & 29, T3N. R2E.
 40.00 Set temp. q. Sec. post
 80.79 Intersected the N & S line, 10 lks. N. of the Corner.

T3N R2E. 2^d. Mer. Indiana

149

Land, timber &c. Same as on the last mile

West On true line between Sec. 20 & 29, T3N. R2E.
 40.39¹/₂ Let the q. Sec. post at a q. dist. from which
 a Poplar 12 in. dia. bear S 79 E 54 lks. dist. of
 a Gum 12 " " " N 76 E 40 " "
 80.79 to Sec. Corner.

West Between Sec. 19 & 30, T3N. R2E. 2^d. Mer.
 28.45 a W. Oak 20 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Dogwood 6 in. dia. bear N 84 E 37 lks. dist. of
 a Beech 20 " " " N 7 W 17 " "
 83.54 Intersected the West boundary 16 lks. N of post
 Let a post Cor. to Sec. 19 & 30, from which
 a Poplar 10 in. dia. bear N 60 E 6 lks. dist. of
 a Elm 6 " " " S 37 W 19 " "
 Land, timber &c. Same as on the last mile

North Between Sec. 19 & 20, T3N. R2E. 2^d. Mer.
 13.41 a Beech 10 in. dia. in the line
 37.50 a W. Oak 24 " " " " "
 40.00 Let the q. Sec. post, from which
 a Beech 24 in. dia. bear N 12 E 21 lks. dist. of
 a Elm 10 " " " N 6 W 14 " "
 80.00 Let a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Hickory 8 in. dia. bear S 2 E 40 lks. dist. of
 a Elm 6 " " " S 50 W 4 " "
 Land, timber &c. Same.

East On Random between Sec. 17 & 20, T3N. R2E.
 15.50 a Brook 20 lks. wide C.P. N.
 40.00 Let temp. q. Sec. post.

Set R2 E. 2nd Mer. Indiana

80.00 Intersected the N & S. line 10 lks N. of Corner.
Land, timber &c. Same as on the last mile

West On true line between Sec. 17 & 20, T3N. R2E

40.00 Set of Sec. post at ar. dist. from which
a Dogwood 6 in. dia. bears N 5 E 8 lks. dist. of
a W. Oak 6 " " " S 38 — " "

80.00 to Sec. Corner

West Between Sec. 18 & 19, T3N. R2E. 2nd Mer.

29.78 a W. Oak 24 in. dia. in the line

40.00 Set the of Sec. post, from which
a W. Oak 5 in. dia. bears N 77 E 28 lks. dist. of
a P. Oak 5 " " " N 82 W 14 " "

81.40 Intersected the W. boundary 30 lks. N. of Corner.

Set a post Cor. to Sec. 18 & 19, from which

a W. Oak 15 in. dia. bears N 77 E 4 lks. dist. of
a Do 8 " " " S 8 W 19 " "

Bushy thin Soil.

North Between Sec. 17 & 18, T3N. R2E. 2nd Mer.

25.00 a Brook 20 lks. wide C. S. N. W.

40.00 a W. Oak 10 in. dia. (marked for of Sec. post

64.25 a Poplar 15 in. dia. in the line

80.00 Set a post Cor. to Sec. 17, 8, 17 & 18, from which

a Maple 8 in. dia. bears S 9 W 31 lks. dist. of
a Beech 20 " " " S 76 W 8 " "

Good farming Oak timbered Soil.

East On Random betw. Sec. 8 & 17, T3N. R2E.

38.50 a Brook 12 lks. wide C. S. N. W.

40.00 Set temp. of Sec. post

60.50 a Brook 4 lks. wide C. S. N. W.

79.27 Intersected the N & S. line at the corner.
Land timber &c. same quality. Nov. 16th 1806.

West On true line between Sec. 8 & 17, T3N, R2E.
39.63 1/2 At the q. Sec. post at adj. dist. from which
a Hickory 10 in. dia. bears N 26 E 19 lks. dist. &
a Sugar 10 " " " S 5 E 17 " "

79.27 Section Corner

West Between Sec. 7 & 18, T3N, R2E, 2^d. Mer.
3.50 a Brook 12 lks. wide W. & N.

10.50 a do 8 " " " N.

40.00 At the q. Sec. post, from which
a Dogwood 6 in. dia. bears N 76 E 23 lks. dist. &
a do 7 " " " S 40 E 12 " "

80.28 Intersected the W. boundary 136 lks. N. of post. &
Set a post Cor. to Sec. 7 & 18, from which
a Hickory 10 in. dia. bears S 67 W 18 lks. dist. &
a W. Oak 15 " " " N 51 E 29 " "
Thin brushy Soil.

North Between Sec. 7 & 8, T3N, R2E, 2^d. Mer.

1.50 a Brook 8 lks. wide W. & N.

11.50 a do 15 " " " N. E.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears N 10 E 29 lks. dist. &
a W. Oak 10 " " " S 82 E 12 " "

80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
a W. Oak 10 in. dia. bears N 53 W 18 lks. dist. &
a W. Walnut 20 " " " S 2 E 22 " "
Land broken, timber Oak, hickory & Walnut.

East On Random between Sec. 5 & 8, T3N, R2E.

T3N R2E. 2^d. Mer. Indiana

- 15.50 a Brook 20 lks. wide Cr. N.
 40.00 Set temp^y. of. Sec. post
 58.00 a Brook 10 lks. wide Cr. N.W.
 79.20 Intersected the N & S. line 20 lks. N. of corner.
 Sand timber &c. Same.

- West On true line betwⁿ. Secs. 5 & 8, T3N. R2E.
 39.60 Set of. Sec. post at av^y. dist. from which
 a Sugar 8 m. dia. bran N 52 E 18 lks. dist of
 a Do 6 " " " S 14 W 2 1/2 " "
 79.20 to Sec. Corner

- West Between Secs. 6 & 7, T3N. R2E. 2^d. Mer.
 4.45 a W. Oak 24 m. dia. in the line
 40.00 Set the of. Sec. post, from which
 a Dogwood 6 m. dia. bran N 13 W 14 lks. dist of
 a Poplar 8 " " " S 87 E 24 " "
 78.00 Intersected the W. boundary 35 lks. N. of corner.
 Set a post Cor. to Sec. 6 & 7, from which
 a W. Ash 10 m. dia. bran N 53 E 18 lks. dist of
 a Do 12 " " " S 28 W 21 " "
 Sand timber &c. Same.

- North Between Secs. 5 & 6, T3N. R2E. 2^d. Mer.
 30.00 a Brook 40 lks. wide Cr. N.W.
 36.00 Same 40 " " " N.E.
 37.50 Same 40 " " " N.W.
 40.00 Set the of. Sec. post, from which
 a Red haw 6 m. dia. bran N 74 W 5 lks. dist of
 a Sugar 8 " " " S 74 E 10 " "
 48.00 a Beech 20 " " in the line
 76.74 1/2 Intersected the N. boundary 422 E. of the post.
 Set a post Cor. to Sec. 5 & 6, from which

T3st - R2 E. 2nd Mer. Indiana 153 \$

a Hickory 10 m. dist. bear S 75 E 8 lks. dist. A
a Sugar 8 " " " S 10 W 12 " "
Surveyed by Arthur Honie, Dep. Sur.

Comp^d.

I Certify that the foregoing transcript of field
notes of Township No. 3 N. Range No. 2 E. 2nd Mer.
Indiana, has been Comp^d. with the original notes
in this office, and found to be correct.

Surveyor General's Office
Cincinnati, Dec. 31. 1846.

E. D. Cairns
Sur. Genl.

T3N R2E. 2nd Mer. Indiana

Meander of the Left bank of White River
from a post in the N. boundary; thence down stream.

S70°W	4.31	in Sec. 4, T3N. R2E.
West	2.50	
N84°W	3.30	
N60°W	1.40	
N55°W	1.00	to post in N. boundary West side of bend

From post in N. boundary again		
S57°W	7.13	in Sec. 5, T3N. R2E.
S83°W	4.69	
N77°W	3.50	
N47°W	0.64	to Beech 8 in. dia. Marked for bearing tree in the North boundary of T3N. R2E. Meander taken by William Harris, D. S.

Comp^d